



H3C Single Port 40W Passive Power Over Ethernet Adapter

Release Date: October, 2019



Single-Port 40W Passive Power over Ethernet Adapter

Overview

ADP040-54V-POE-GL is centralized network remote power adapter with single port, and designed for indoor wireless AP. Its Voltage input is from 90 to 264VAC. This adapter can connect to other network terminal equipment, such as wireless AP, with CAT5e cable, working for 10/100/1000M network scenarios.



Features

Item	Specification
Size (L×W×H)	Adapter: 110mm × 62mm × 31.5mm Injector: 79mm × 70mm × 31mm
Weight	282g
Input Voltage	90V AC ~ 264V AC; 47~63Hz
Input Current	1.5A Max, at 115Vac, Full load 0.8A Max, at 230Vac, Full load
Input Connector*	IEC320 C14
Output Voltage	54V
Output rated current	0.74A
Output Power	40W
Output Connection	Pins 4,5(+) Pins 7,8 (-)
Power Efficiency	Level VI
Protection	OCP,OVP,SCP
Temperature	Operation: -10°C~45°C Non-operation: -40°C~70°C



Item	Specification
Humidity (Non-condensing)	5%~95%
Altitude	Up to 5000m
EMC	EN 55032: RE,CE
	CISPR 32: RE,CE
	IEC 61000-4-2: ESD
	IEC 61000-4-3: RS
	IEC 61000-4-4: EFT
	IEC 61000-4-5: Surge
Safety Approvals	IEC 61000-4-6: CS
	IEC 61000-4-11: DIPS
	CE,TUV,UL,CCC

* **Note:** AC power cord will be configured with the adapter according to the country or areas



The Leader in Digital Solutions

New H3C Technologies Co., Limited

Beijing Headquarters

Tower 1, LSH Center, 8 Guangshun South Street, Chaoyang District, Beijing, China

Zip: 100102

Hangzhou Headquarters

No.466 Changhe Road, Binjiang District, Hangzhou, Zhejiang, China

Zip: 310052

Tel: +86-571-86760000

Copyright ©2019 New H3C Technologies Co., Limited Reserves all rights

Disclaimer: Though H3C strives to provide accurate information in this document, we cannot guarantee that details do not contain any technical error or printing error. Therefore, H3C cannot accept responsibility for any inaccuracy in this document. H3C reserves the right for the modification of the contents herein without prior notification

<http://www.h3c.com>